

Time-tested technology

For over 100 years, the Coleman® name has been synonymous with rugged reliability and world-renowned quality. Our line of heating and cooling solutions is no different. Since 1958, Coleman® HVAC has provided world-class home comfort systems that stand the test of time. We're confident that our Comforteer™ Series air handlers will do the same. Count on unmatched comfort, time-tested performance and exceptional energy savings backed by quality manufacturing in our own North American factories. It's what has made Coleman® HVAC a preferred choice of contractors and homeowners for generations.



Coleman® Comforteer™ Series Split System Air Handlers

- Efficient blower uses a proven PSC motor to circulate air effectively and quietly for improved comfort.
- Precision cabinet construction saves energy with ultra-low leakage and vanishingly low air infiltration.
- Advanced single-piece or modular units provide a perfect match for the system to ensure quiet, efficient operation.

- Allergen filtration and indoorair-quality options keep your home cleaner and healthier.
- Quiet, direct-drive fan design minimizes vibration and noise.
- Efficient heat transfer with MaxAlloy™ aluminum coil in singlepiece units to provide effective airflow and refrigerant circulation.
- Hygienic base pan design prevents moisture and dirt from collecting inside the unit.
- Long-lasting, powder coat paint maintains a durable, automotive-quality finish that looks great for years.



Proven performance
More than 125,000 hours of system research, 5 years of accelerated field testing and extreme weather testing from +140°F to -10°F ensure reliable performance for years to come.

Quality backing
Tried-and-true quality control
and assembly processes backed by the
manufacturing expertise of Johnson
Controls and the iconic Coleman®
HVAC name.

Improved efficiency

Matched components use less
energy without impacting performance.

Space and budget friendly Small-footprint cabinets deliver big performance to meet your space and budget needs.

We use R-410A, a refrigerant that doesn't deplete the ozone layer, to ensure your system is safe for the environment.

Installation excellence
Our skilled contractors are trained to deliver high quality comfort and performance you can trust.

Quality is home grown



You need an HVAC system that keeps up with you. Coleman® air conditioners and heaters are adaptable to even the most punishing climates – and we prove it right here in our North American factories. We put our systems through extreme weather temperatures and

corrosive environments to ensure that your system is built for the long haul.

But don't just take our word for it. Take the word of those who have trusted the

Coleman® name for decades.

Comforteer™ Series Air Handling Units



* 10-Year parts limited warranty requires online registration within 90 days of installation. Otherwise, the warranty reverts to the standard 5-Year parts limited warranty.

Comforteer™ Series AP, MP Standard Air Handling Units 208/230-1-60

	NOMINAL	Norman	ELECTRIC AVAILABLE (KW)		DIMENSI	ONS (INCHES)	D (144)	CURRLY BY BUYE		SHIPPING/ OPERATING WEIGHT (LBS)
MODEL	CAPACITY (TONS)*	NOMINAL CFM		н	w	D (CASING)	D (W/ DOORS)	SUPPLY PLENUM (INCHES)	FILTER (INCHES)	
AP18BX21	1.5	600	2, 5, 8, 10	41	17-1/2	20-1/2	21-1/2	12-3/16 x 16-1/2	16 x 20 x 1	91/85
AP24BX21	2	800	2, 5, 8, 10, 13	41	17-1/2	20-1/2	21-1/2	12-3/16 x 16-1/2	16 x 20 x 1	93/87
AP30BX21	2.5	1000	2, 5, 8, 10, 13, 15	47-1/2	17-1/2	20-1/2	21-1/2	12-3/16 x 16-1/2	16 x 20 x 1	119/113
AP36BX21	3	1200	2, 5, 8, 10, 13, 15, 18, 20	47-1/2	17-1/2	20-1/2	21-1/2	12-3/16 x 16-1/2	16 x 20 x 1	119/113
AP36CX21	3	1200	2, 5, 8, 10, 13, 15, 18, 20	51-1/2	21	20-1/2	21-1/2	12-3/16 x 20	20 x 20 x 1	120/114
AP42CX21	3.5	1400	2, 5, 8, 10, 13, 15, 18, 20	51-1/2	21	20-1/2	21-1/2	12-3/16 x 20	20 x 20 x 1	144/136
AP48CX21	4	1525	2, 5, 8, 10, 13, 15, 18, 20	51-1/2	21	20-1/2	21-1/2	12-3/16 x 20	20 x 20 x 1	158/150
AP60CX21	5	1600	2, 5, 8, 10, 13, 15, 18, 20	55-1/2	24-1/2	20-1/2	21-1/2	12-3/16 x 20	20 x 20 x 1	156/146
AP48DX21	4	1750	2, 5, 8, 10, 13, 15, 18, 20, 25	55-3/4	21	20-1/2	21-1/2	12-3/16 x 23-1/2	22 x 20 x 1	163/153
AP60DX21	5	1800	2, 5, 8, 10, 13, 15, 18, 20, 25	55-1/2	24-1/2	20-1/2	21-1/2	12-3/16 x 23-1/2	22 x 20 x 1	180/170
MP08BN11	2	800	N/A	21-1/2	17-1/2	20-1/2	21-1/2	12-3/16 x 16-1/2	16 x 20 x 1	52/51
MP08BN21	2	800	2, 5, 8, 10, 13	21-1/2	17-1/2	20-1/2	21-1/2	12-3/16 x 16-1/2	16 x 20 x 1	52/51
MP08BN41	2	800	-	21-1/2	17-1/2	20-1/2	21-1/2	12-3/16 x 16-1/2	16 x 20 x 1	52/51
MP12BN11	3	1200	N/A	21-1/2	17-1/2	20-1/2	21-1/2	12-3/16 x 16-1/2	16 x 20 x 1	52/51
MP12BN21	3	1200	2, 5, 8, 10, 13, 15, 18, 20	21-1/2	17-1/2	21-1/2	21-1/2	12-3/16 x 16-1/2	16 x 20 x 1	52/51
MP12BN41	3	1200	-	22-1/2	17-1/2	20-1/2	21-1/2	12-3/16 x 16-1/2	16 x 20 x 1	52/51
MP14DN11	3.5	1400	N/A	22-1/2	24-1/2	20-1/2	21-1/2	12-3/16 x 23-1/2	22 x 20 x 1	75/74
MP14DN21	3.5	1400	2, 5, 8, 10, 13, 15, 18, 20	22-1/2	24-1/2	20-1/2	21-1/2	12-3/16 x 23-1/2	22 x 20 x 1	75/74
MP14DN41	3.5	1400	-	22-1/2	24-1/2	20-1/2	21-1/2	12-3/16 x 23-1/2	22 x 20 x 1	75/74
MP16CN11	4	1600	N/A	22-1/2	21	20-1/2	21-1/2	12-3/16 x 20	20 x 20 x 1	68/67
MP16CN21	4	1600	2, 5, 8, 10, 13, 15, 18, 20	22-1/2	21	20-1/2	21-1/2	12-3/16 x 20	20 x 20 x 1	68/67
MP16CN41	4	1600	-	22-1/2	21	20-1/2	21-1/2	12-3/16 x 20	20 x 20 x 1	68/67
MP20DN11	5	1800	N/A	22-1/2	24-1/2	20-1/2	21-1/2	12-3/16 x 23-1/2	22 x 20 x 1	75/74
MP20DN21	5	1800	2, 5, 8, 10, 13, 15, 18, 20	22-1/2	24-1/2	20-1/2	21-1/2	12-3/16 x 23-1/2	22 x 20 x 1	75/74
MP20DN41	5	1800	-	22-1/2	24-1/2	20-1/2	21-1/2	12-3/16 x 23-1/2	22 x 20 x 1	75/74



