Printing date 26.07.2013

Revision: 26.07.2013

1 Identification of the substance/mixture and of the company/underta	king
· 1.1 Product identifier	
• Trade name: GAS LEAK DETECTOR - MID TEMP	
 Article number: 23008, 22032, 23128 1.2 Relevant identified uses of the substance or mixture and uses advised agains No further relevant information available. 	t
· Application of the substance / the preparation Leak detection fluid	
 1.3 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Highside Chemicals, Inc. 11114 Reichold Road Gulfport, MS 39503 USA Phone: (228) 896-9220 	
• 1.4 Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585	
2 Hazards identification	
 • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 The product is not classified according to GHS regulations. The product is not classified according to the CLP regulation. 	
 Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applie Information concerning particular hazards for human and environment: The product does not have to be labelled due to the calculation procedure of the "Genguideline for preparations of the EU" in the latest valid version. Classification system: The classification is according to the latest editions of the EU-lists, and extended literature data. The classification is in accordance with the latest editions of international substates supplemented by information from technical literature and by information provided by the formation is the formation from technical literature and by information provided by the formation from technical literature and by information provided by the formation from technical literature and by information provided by the formation from technical literature and by information provided by the formation from technical literature and by information provided by the formation from technical literature and by information provided by the formation from technical literature and by information provided by the formation from technical literature and by information provided by the formation from technical literature and by information provided by the formation from technical literature and by information provided by the formation from technical literature and by information provided by the formation from technical literature and by information provided by the formation from technical literature and by information from technical literature and by information from technical literature and by information from technical literature formation form	neral Classificatio d by company ar ances lists, and
 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 N/A 	
· Hazard pictograms N/A · Signal word N/A	

Printing date 26.07.2013

Revision: 26.07.2013

Trade name: GAS LEAK DETECTOR - MID TEMP

(Contd. of page 1)

· NFPA ratings (scale 0 - 4)



Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 2 Health = 2 FIRE Fire = 0 Reactivity 0 Reactivity = 0

· HMIS Long Term Health Hazard Substances

127087-87-0 Poly(oxy-1,2-ethanediyl),alpha-(4-nonylphenyl)-omega-hydroxy, branched

2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

3.2 Mixtures Description: Mixture of sul	ostances listed below with nonhazardous additions.	
Dangerous components:		
CAS: 127087-87-0 NLP: 500-315-8	Poly(oxy-1,2-ethanediyl),alpha-(4-nonylphenyl)-omega-hydroxy, branched Xn R21/22; Xi R36/38 R52	<10%
	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 68603-42-9 EINECS: 271-657-0	Coconut diethanolamide Xi R36/38 Skin Irrit. 2, H315; Eye Irrit. 2, H319	<10%
CAS: 111-42-2 EINECS: 203-868-0 Index number: 603-071-00-	2,2'-iminodiethanol Xn R22-48/22; Xi R38-41 1 STOT RE 2, H373 Eye Dam. 1, H318 ↑ Acute Tox. 4, H302; Skin Irrit. 2, H315	<1,0

4 First aid measures

· 4.1 Description of first aid measures

· General information: No special measures required.

· After inhalation:

Supply fresh air.

Seek medical treatment in case of complaints.

(Contd. on page 3)

Printing date 26.07.2013

Revision: 26.07.2013

Trade name: GAS LEAK DETECTOR - MID TEMP

(Contd. of page 2)

• After skin contact:

Clean with water and soap.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

• 4.2 Most important symptoms and effects, both acute and delayed Gastric or intestinal disorders.

- · Hazards No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information No further relevant information available.

6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

Wear protective clothing.

Ensure adequate ventilation

• 6.2 Environmental precautions: No special measures required.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Clean the affected area carefully; suitable cleaners are:

- Warm water 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 7 for information on paragoal protoction

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

• 7.1 Precautions for safe handling No special measures required.

 \cdot Information about fire - and explosion protection: No special measures required.

(Contd. on page 4)

GHS

Printing date 26.07.2013

Revision: 26.07.2013

Trade name: GAS LEAK DETECTOR - MID TEMP

(Contd. of page 3)

• 7.2 Conditions for safe storage, including any incompatibilities • Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from foodstuffs.

• Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from frost.

· 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **DNELs** No further relevant information available.
- **PNECs** No further relevant information available.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- Respiratory protection: Not required under normal conditions of use.
- Protection of hands: Rubber gloves
- Eye protection:



Safety glasses

- · Body protection: Not required under normal conditions of use.
- · Limitation and supervision of exposure into the environment No special requirements.
- · Risk management measures No special requirements.

9 Physical and chemical properties • 9.1 Information on basic physical and chemical properties • General Information • Appearance: Form: Liquid Colour: Pink • Odour: Mild • Odour threshold: Not determined.

Printing date 26.07.2013

Revision: 26.07.2013

Trade name: GAS LEAK DETECTOR - MID TEMP

		(Contd. of page
· pH-value:	Not determined.	
[·] Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	212 °F / 100 °C	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
[·] Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure at 20 °C:	23 hPa	
· Density at 20 °C:	1 g/cm ³	
· Relative density	Not determined.	
[.] Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient (n-octanol/wa	ater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	Not determined.	
Solids content:	Not determined.	
· 9.2 Other information	No further relevant information available.	

10 Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions Reacts with strong acids and oxidizing agents.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 6)

GHS

Printing date 26.07.2013

Revision: 26.07.2013

(Contd. of page 5)

Trade name: GAS LEAK DETECTOR - MID TEMP

· 10.6 Hazardous decomposition products: Possible in traces.

11 Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: Slight irritant effect on eyes.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability biodegradable
- · 12.3 Bioaccumulative potential Does not accumulate in organisms.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

This statement was deduced from products with a similar structure or composition.

Due to available data on eliminability/decomposition and bioaccumulation potential a prolonged damage of the environment is unlikely.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

On the basis of the necessary technical regulations and after consultation with the disposal agent and the relevant authorities, can be disposed of with domestic waste or incinerated with domestic waste.

Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

Printing date 26.07.2013

Trade name: GAS LEAK DETECTOR - MID TEMP

· Recommended cleansing agents: Water only.

Transport information		
· 14.1 UN-Number · DOT, ADR, ADN, IMDG, IATA	N/A	
 14.2 UN proper shipping name DOT, ADR, ADN, IMDG, IATA 	N/A	
· 14.3 Transport hazard class(es)		
[·] DOT, ADR, ADN, IMDG, IATA [·] Class	N/A	
· 14.4 Packing group · DOT, ADR, IMDG, IATA	N/A	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Transport in bulk according to Ann MARPOL73/78 and the IBC Code 	ex II of Not applicable.	
UN "Model Regulation":		

15 Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · United States (USA)

· Section 355 (extremely hazardous substances):
None of the ingredients is listed.
Section 313 (Specific toxic chemical listings):
111-42-2 2,2'-iminodiethanol
TSCA (Toxic Substances Control Act):
All ingredients are listed.
· Proposition 65 (California):
· Chemicals known to cause cancer:
Present in trace quantities: CAS 81-88-9.
68603-42-9 Coconut diethanolamide
111-42-2 2,2'-iminodiethanol
81-88-9 9-(2-carboxyphenyl)-3,6-bis(diethylamino)xanthylium chloride
(Contd. on page 8)

Revision: 26.07.2013

(Contd. of page 6)

Printing date 26.07.2013

Revision: 26.07.2013

Trade name: GAS LEAK DETECTOR - MID TEMP

	(Contd. of page 7)
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
Present in trace quantities: CAS <u>872-50-4</u> .	
872-50-4 N-methyl-2-pyrrolidone	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· IARC (International Agency for Research on Cancer)	
None of the ingredients is listed.	
 TLV (Threshold Limit Value established by ACGIH) 	
111-42-2 2,2'-iminodiethanol	A3
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
· Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
· Canadian Ingredient Disclosure list (limit 1%)	
None of the ingredients is listed.	
• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been ca	arried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

R21/22 Harmful in contact with skin and if swallowed.

R22 Harmful if swallowed.

R36/38 Irritating to eyes and skin.

R38 Irritating to skin.

(Contd. on page 9)

GHS

Printing date 26.07.2013

Revision: 26.07.2013

Trade name: GAS LEAK DETECTOR - MID TEMP

(Contd. of page 8) Risk of serious damage to eyes. R41 R48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed. R52 Harmful to aquatic organisms. · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com