


AMERICA'S CHEMICAL SUPER SOURCE

UTILITY & QUALITY HAVE ALWAYS HAD A LOT IN COMMON



*Permanently woven into
the fabric of the industry*

FORM U W - 0111
700 MAIN STREET
WESTBURY, NY 11590 U.S.A.
www.UtilityChemicals.com

CATALOG

UTILITY
WONDER
PRODUCTS



SEE BACK COVER FOR PRODUCT DIRECTORY

UTILITY FOR PROFESSIONALS

DRAIN & WASTE SYSTEM PRODUCTS**GRAND SLAM****SULFURIC ACID DRAIN CLEANER**

The world's most powerful liquid drain cleaner, with Posi-lok® seal and child resistant cap, in the safest packaging. It opens clogged drains, dissolves organic matter and melts heavy grease deposits. It contains special corrosion inhibitors and won't harm piping systems, septic tanks or cesspools when properly used.

FOR PROFESSIONAL USE

SEE SPECIAL NOTICE INSIDE EACH CARTON

12	1 QT. CONTAINERS	48	A+	25-1010
6	1/2 GAL. CONTAINERS*	46	A+	25-1020
4	1 GAL. CONTAINERS*	62	A*	25-1030

* includes plastic pour spout

**LIQUID DRAIN-A-MATIC
DRAIN OPENER**

A **non-acid** liquid drain cleaner for clearing drains of hair, grease, paper, lint and organic matter. It's ecologically safe and contains no solvents.

Perfect for kitchen and bathroom drains.

12	1 QT. CONTAINERS	32	J	25-4010
6	1/2 GAL. CONTAINERS	31	D+	25-4020

**DRY DRAIN-A-MATIC
DRAIN PIPE CLEANER**

A fumeless, granular, **non-acid** cleaner for clogged drains of all types. Dissolves grease, fats, scum, tobacco, lint, cloth, matches, coffee grounds and organic matter. Ecologically safe and contains no solvents. **Super active cold water formula.**

24	12 OZ. CONTAINERS	21	J	25-2000
	12 26 OZ. CONTAINERS	21	J	25-2005

**CRYSTAL SWIFT
DRAIN CLEANER**

A **non-acid**, odorless formulation which contains coated crystals for extra punch. When mixed with **hot water**, it dissolves grease, hair and other organic waste, to quickly and efficiently restore flow in small drains and grease traps. Safe for use on porcelain.

24	1 LB. CONTAINERS	26	J	25-2200
	12 2 LB. CONTAINERS	26	J	25-2205

**SWIFT
DRAIN CLEANER**

This **non-acid** formula works extremely fast when activated by **hot water**. Use this odorless drain cleaner on small drains, grease traps and septic systems.

24	1 LB. CONTAINERS	26	J	25-2100
----	------------------	----	---	---------

**PRO/PEL
CESSPOOL AND SEPTIC
TANK CLEANER**

A powerful non-acid, non-caustic liquid concentrate for cleaning fat, grease, slime and other waste products. It's very effective for controlling odors. It improves the efficiency of septic tanks and drain fields and eliminates cesspool overflow and frees clogged grease traps. Pro/Pel contains exclusive Sluicex®.

12	1 QT. CONTAINERS	32	K	10-205
4	1 GAL. CONTAINERS	40	K	10-210
1	53 GAL. DRUM	575	K*	10-225

**ECO POW! GREEN
BIO-DEGRADABLE SEPTIC TANK
AND CESSPOOL CLEANER**

Non-caustic and non-acid. Breaks down and liquefies hardened detergents and grease. Improves drainage, stops odors and will not harm porcelain sinks and toilet bowls. Ecologically friendly formula will not harm useful bacteria.

4	1 GAL. CONTAINERS	36	K	25-1220
2	1 GAL. CONTAINERS	19	K	25-1221

**SUPER POW!
ECOLOGICALLY SAFE CESSPOOL
AND SEPTIC TANK CLEANER**

This super strength liquid restores normal drainage, deodorizes cesspool overflow and liquefies hardened detergents. It contains no solvents and no acids.

4	1 GAL. CONTAINERS	54	D+	25-1650
---	-------------------	----	----	---------



DRAIN & WASTE SYSTEM PRODUCTS (continued)**SUPER CESSOLVE**

DRAIN, CESSPOOL & SEPTIC TANK CLEANER
Contains four types of enzymes to digest the different kinds of waste matter, and billions of live, natural bacteria continually replenish the waste digesting enzymes. Ideal for use in drains, sinks, grease traps, septic and sewage systems to promote normal bacterial decay; and it's easy to use.

Natural Bacterial Enzymes

12	1 QT. CONTAINERS	25	K	10-350
4	1 GAL. CONTAINERS	33	K	10-355

SEPTIC KLEEN
SEPTIC ACTIVATOR

Flush these pre-measured water soluble packets of active enzymes and bacteria into the cesspool or septic tank. Packets eliminate skin contact and are always the correct amount. There is never a mess from mixing and measuring. Regular use prevents sludge accumulations, clogged drainage beds, overflow, backups and unpleasant odors. It's non-acid, non-caustic, non-toxic and ecologically safe.

Natural Bacterial Enzymes

12	15 OZ. CONTAINERS	16	K	10-505
----	-------------------	----	---	--------

**EXCLUSIVE
QUICK DISSOLVE
PACKETS**

**WASTE X**
**CESSPOOL, DRAINFIELD,
PRIVY & SEWER CLEANER**

A non-acid, ecologically safe cleaner in powder form breaks up and dissolves accumulated grease, fats, sludge, lint, organic matter and soap residue. It cleans cesspools, septic tanks, filter beds, drainfields, disposal areas, seepage pits, dry wells, privies, sewers, etc. Its exothermic action thaws frozen drain lines. Use it for corrective action and preventive treatment. When properly used it won't damage fixtures, piping, septic tanks or cesspools.

6	5 LB. CONTAINERS	31	E+	25-8005
1	25 LB. CONTAINER	27	E+	25-8025

ROOT AWAY
ROOT DESTROYER

Flush these pre-measured water soluble packets, containing chemical crystals, to eliminate roots in piping systems. Packets eliminate skin contact and are always the correct amount. There is never a mess from mixing and measuring. Use periodically to prevent the accumulation of roots. Root Away is completely harmless to drainage lines and sewage disposal systems and it won't harm trees or plants. E.P.A. registered.

12	2 LB. CONTAINERS	28	K	10-605
----	------------------	----	---	--------

**EXCLUSIVE
QUICK DISSOLVE
PACKETS**

**TRAP SEAL**
LIQUID TRAP PRIMER

A specially engineered liquid that seals drain traps to prevent odors and preserve a sanitary "septic seal". Concentrated and ready-to-use, it prevents sewer gases and odors from entering through the trap and endangering the health of inhabitants. Great for empty or vacant buildings, schools, hospitals. Use it wherever drains can dry out, are not in use, are in remote areas or when odors are a problem.

12	1 QT. CONTAINERS	26	K	25-4910
----	------------------	----	---	---------

NEW

**RADIANT**
LIQUID BOWL CLEANER

This heavy duty and thickened bowl cleaner is tough on stains, scale and rust. Cleans & deodorizes toilets, urinals and porcelain bathroom fixtures. This premium bowl cleaner clings to the sides of the bowl for maximum penetration. Contains high concentration of hydrochloric acid for the toughest jobs.

12	1 QT. CONTAINERS	29	K	25-4510
----	------------------	----	---	---------



DRAIN & WASTE SYSTEM PRODUCTS (continued)**CLEANER FOR WATERFREE™ URINALS**

Specially formulated to Clean Waterfree™ urinals. It's approved by Falcon and Sloan. Ready-to-use in a convenient spray bottle, it's also great for general cleaning of any hard, non-porous bathroom surface.

12	1 QUART CONTAINERS	26	K	25-5010
----	--------------------	----	---	---------

**LIQUI-TRAP WATERLESS™ URINAL TRAP LIQUID**

A long lasting, biodegradable liquid to replenish the trap liquid in Waterless™ urinals. It seals the trap and prevents sewer gases and odors from entering. It remains in the trap because it's not miscible with water.

12	1 QUART CONTAINERS	26	K	25-5210
----	--------------------	----	---	---------

**SUPER URI-BLOCKS URINAL DEODORANT BLOCKS**

A one piece, self cleaning, disposable urinal block that descales, cleans and deodorizes.

12	URINAL BLOCKS	4	K	45-2500
----	---------------	---	---	---------

ENDRUST RUST & STAIN REMOVER

Quickly dissolves rust and rust stains on virtually all materials including: toilet bowls and tanks, bath tubs, clothing, dishes, glassware, water softeners, washing machines, dishwashers, tile, masonry, stone and more. Does not contain chlorine, phosphates or phosphoric acid.

12	20 OZ. CONTAINERS	17	K	40-8010
----	-------------------	----	---	---------

**THREAD COMPOUNDS, GASKET, PACKING MATERIALS & LEAK DETECTORS****NO-DRIP PIPE JOINT COMPOUND**

It seals, lubricates and is especially good for brass and all threaded connections on gas, air, water, steam lines, etc. No-Drip contains built-in wicking and is lead free. No-Drip is thixotropic, won't spill or dry out and retains its consistency indefinitely. This gray colored compound withstands temperatures from -120°F. to +600°F. and pressures to 10,000 psi. Meets Fed. Spec. TT-S-1732.

12	2 OZ. TUBES*	14	K	12-102
24	1/2 PT. CONTAINERS**	23	K	12-206
24	1 PT. CONTAINERS**	49	K	12-207
6	1/2 GAL. CONTAINERS***	48	K+	12-220

* in 6 counter trays (12 pieces each)

** with applicator cap

*** plastic pail with handle

PIPE JOINT COMPOUND

Original red, lead free, ready mixed formula for brass, steel or iron threaded connections. Recommended for high and low pressure steam lines, hot or cold water, air or vacuum lines. Seals, lubricates and withstands temperatures from -120°F. to +600°F. & pressures to 10,000 psi. It needs no wicking and it retains its consistency. Meets Fed. Spec. TT-S-1732.

24	1 PT. CONTAINERS**	46	K	12-110
6	1/2 GAL. CONTAINERS***	45	K+	12-120

** with applicator cap

*** plastic pail with handle

JOINT SEAL NO. 6 GASKETING CEMENT/THREADED OR FLANGED JOINT SEALANT

Lead free, black compound makes firm, plastic, long-lasting joints on lines carrying high & low pressure steam, fuel oil, lubricating oil, gasoline, kerosene, acids & brines, natural & manufactured gas, most vegetable oils, glycerine, etc. Withstands temperatures from -120°F. to +400°F. & pressures to 10,000 psi.

48	1/4 PT. CONTAINERS*	19	K	12-305
24	1/2 PT. CONTAINERS*	20	K	12-307
4	1 GAL. CONTAINERS	47	K+	12-325

* with applicator cap

TFE-TITE PTFE THREAD COMPOUND

Lead free, pipe sealing compound for use on threaded & flanged joints on lines carrying high pressure steam, oil, gasoline & most other solvents, various gases and refrigerants. It's also effective for acids, alkalis, salt water and fuels. Non-staining, non-toxic, non-conducting, non-corrosive and bright white. Withstands temperatures from -200°F. to 500°F. and pressures to 10,000 psi. Meets Fed. Spec. TT-S-1732.

48	1/4 PT. CONTAINERS*	22	K	12-730
24	1/2 PT. CONTAINERS*	23	K	12-735
12	1 PT. CONTAINERS*	22	K	12-737
4	1 GAL. CONTAINERS	52	K	12-745
1	55 GAL. DRUM	640	K*	12-755

* with applicator cap



THREAD COMPOUNDS, GASKET, PACKING MATERIALS & LEAK DETECTORS (continued)



PTFE TAPE

Inert, non-toxic, easy-to-use tape for use on all threaded connections as a pipe dope. It withstands pressures to 10,000 psi and conforms to MIL-T-27730A.

100 1/2" X 260" SPOOLS	2	K	12-665
100 1/2" X 520" SPOOLS	3	K	12-667

TFE-FORM

Rope form PTFE for packing and gasketing. It forms durable hard gaskets and is inert and non-toxic.

48 3/32" X 24" ROLLS* * blister packed	1	K	12-725
-------------------------------------------	---	---	--------



BLUE SEAL PIPE JOINT SEALANT

A fast setting sealant for use on threaded connections, gaskets and flanges. Recommended for all common metal pipe threads. Withstands high pressure applications and resists vibration. Brushable and easy to apply.

24 1/4 PT. CONTAINERS*	9	L	12-615
24 1/2 PT. CONTAINERS*	14	L	12-620
12 1 PT. CONTAINERS* * with applicator cap	19	L	12-625

SLIP-N-SEAL PIPE JOINT LUBRICANT

For potable water, DWV and sewer systems. Use to assemble push-on type joints containing rubber, neoprene and/or synthetic rubber gaskets. Non-toxic, water soluble, doesn't support bacterial growth, and can be used from 0°F. to 120°F.

12 2 LB. (1 QT.) CONTAINERS	25	K	12-555
4 8 LB. (1 GAL.) CONTAINERS	33	K	12-560



PSSST! LEAK DETECTOR

Use to detect leaks in joints on any kind of gas pipeline, especially refrigerants. An extremely active foaming agent. Non-Freezing.

24 1/4 PT. CONTAINERS*	9	K	26-305
24 1/2 PT. CONTAINERS**	18	K	26-310
12 1 QT. CONTAINERS***	29	K	26-320
4 1 GAL. CONTAINERS	38	K	26-325

NEW FLUORESCENT BLUE

* with squirt spout
** with applicator dauber
*** spray bottle

PLASTIC PIPE CEMENTS, PRIMERS & CLEANERS

PLASTI-KLEEN PURPLE PLASTIC PIPE PRIMER

Softens and prepares PVC and CPVC pipe and fittings for gluing. Use for potable water and drain, waste and vent systems. Conforms to ASTM F-656. (PURPLE LABEL)

24 1/4 PT. CANS*	9	J	12-801
24 1/2 PT. CANS*	15	J	12-802
12 1 PT. CANS*	14	J	12-803
12 1 QT. CANS*	25	J	12-804
4 1 GAL. CANS * with dauber	32	G+	12-805



PLASTI-KLEEN CLEAR PLASTIC PIPE PRIMER

Softens and prepares PVC and CPVC pipe and fittings for gluing. Use for potable water and drain, waste and vent systems. Conforms to ASTM F-656. (PURPLE STRIPE LABEL)

24 1/4 PT. CANS*	9	J	12-811
24 1/2 PT. CANS*	15	J	12-812
12 1 PT. CANS*	14	J	12-813
12 1 QT. CANS*	25	J	12-814
4 1 GAL. CANS * with dauber	32	G+	12-815



PLASTI-KLEEN PLASTIC PIPE CLEANER

Cleans and prepares PVC, CPVC and ABS pipe fittings for gluing. Clear cleaner is for use on potable water and drain, waste and vent systems. (YELLOW LABEL)

24 1/4 PT. CANS*	9	J	12-900
24 1/2 PT. CANS*	14	J	12-901
12 1 PT. CANS*	13	J	12-902
12 1 QT. CANS*	22	J	12-903
4 1 GAL. CANS * with dauber	17	G+	12-904



PLASTI-SEAL PVC CEMENTS, PRIMERS AND CLEANERS (continued)**PLASTI-SEAL
PVC CLEAR GLOO
REGULAR BODY SOLVENT CEMENT**

Use for joining PVC pipe and fittings for potable water and drain, waste and vent systems. It is recommended for use on PVC types I and II, schedule 40 pipe up to 6" diameter. Conforms to ASTM D-2564. (WHITE LABEL)



24 1/4 PT. CANS*	9	J	12-990
24 1/2 PT. CANS*	14	J	12-991
12 1 PT. CANS*	14	J	12-992
12 1 QT. CANS*	26	J	12-993
4 1 GAL. CANS * with dauber	33	G+	12-994

**PLASTI-SEAL
PVC CLEAR GLOO
MEDIUM BODY SOLVENT CEMENT**

Use for joining PVC pipe & fittings for potable water & drain, waste and vent systems. It's recommended for PVC types I & II, schedule 40 pipe up to 8" diameter & schedule 80 pipe up to 6" diameter. Conforms to ASTM D-2564. (LIGHT BLUE LABEL)



24 1/4 PT. CANS*	10	J	12-905
24 1/2 PT. CANS*	15	J	12-910
12 1 PT. CANS*	14	J	12-915
12 1 QT. CANS*	25	J	12-920
4 1 GAL. CANS * with dauber	33	G+	12-925

**PLASTI-SEAL
PVC GRAY GLOO
HEAVY BODY SOLVENT CEMENT**

Use for joining larger PVC pipe & fittings for potable water and drain, waste & vent systems. It is recommended for PVC types I & II, schedule 40 & schedule 80 pipe up to 15" diameter. Conforms to ASTM D-2564. (GRAY LABEL)



24 1/2 PT. CANS*	13	J	12-935
12 1 PT. CANS*	15	J	12-940
12 1 QT. CANS*	29	J	12-945
4 1 GAL. CANS * with dauber	37	G+	12-947

**PLASTI-SEAL
POLAR PVC CLEAR GLOO
MEDIUM BODY SOLVENT CEMENT**

This formula sets fast in cold weather & is used for joining PVC pipe & fittings for potable water & drain, waste & vent systems. It's recommended for PVC types I & II, schedule 40 pipe up to 8" diameter & schedule 80 pipe up to 6" diameter. Conforms to ASTM D-2564. (SILVER LABEL)



12 1 PT. CANS*	14	J	12-987
12 1 QT. CANS* * with dauber	27	J	12-988

**PLASTI-SEAL LAWN & POOL
VERY FAST SET H₂BLUE GLOO
MEDIUM BODY SOLVENT CEMENT**

Specifically formulated for use where quick pressurization is required, and/or under wet conditions. Use for joining PVC pipe & fittings for potable water & drain, waste & vent systems. It's recommended for PVC types I & II, schedule 40 pipe up to 3" diameter for pressurized systems; or 6" non-pressurized systems. Conforms to ASTM D-2564. (BLUE LABEL)



12 1 PT. CONTAINERS*	14	J	12-997
12 1 QT. CONTAINERS*	25	J	12-998
4 1 GAL. CANS * with dauber	34	G+	12-999

**PLASTI-SEAL
ABS GLOO
MEDIUM BODY SOLVENT CEMENT**

Use for joining ABS pipe & fittings for potable water & drain, waste & vent systems. It is recommended for ABS tubing & fittings up to 8" diameter. Conforms to ASTM D-2235. (BLACK LABEL)



12 1 PT. CANS*	14	J	12-960
12 1 QT. CANS* * with dauber	25	J	12-965

**PLASTI-SEAL
CPVC GLOO
MEDIUM BODY SOLVENT CEMENT**

Use for joining CPVC pipe & fittings for potable water & drain, waste & vent systems. Recommended for CPVC schedule 40 & schedule 80 pipe & fittings. Conforms to ASTM F-493. (ORANGE LABEL)



24 1/4 PT. CANS*	9	J	12-975
24 1/2 PT. CANS*	15	J	12-976
12 1 PT. CANS* * with dauber	14	J	12-977



PLASTIC PIPE CEMENTS, PRIMERS & CLEANERS



**PLASTI-SEAL
ALL-PURPOSE GLOO**
MEDIUM BODY SOLVENT CEMENT
Use for joining PVC, ABS, CPVC and Styrene for potable water and drain, waste and vent systems. Recommended for all types of PVC, CPVC, and ABS pipe. (GOLD LABEL)

24 1/4 PT. CANS*	9	J	12-980
24 1/2 PT. CANS*	15	J	12-981
12 1 PT. CANS*	14	J	12-982

* with dauber

JOINING ACCESSORIES

PLASTIC PIPE CEMENT DAUBERS
Jumbo sized daubers to easily apply cement, primers or cleaners.

48 FOR 1/4 PT. CANS	1	K	26-251
48 FOR 1/2 PT. CANS	1	K	26-252
48 FOR 1 PT. CANS	1	K	26-253
48 FOR 1 QT. CANS	1	K	26-254



VISI-GRIT
FLUORESCENT OPEN MESH CLOTH
Waterproof prime quality open mesh abrasive cloth is a highly visible super bright fluorescent color, so it won't get lost. Use it for cleaning metal or plastic pipe or fittings. The open mesh resists clogging and can be used wet or dry. Rinse the double sided abrasive with water and reuse it.

24 5 YD. x 1 1/2 in.	5	K	26-905
24 10 YD. x 1 1/2 in.	10	K	26-910



ACID BRUSHES

Useful, handy metal handled brushes for use with powerful chemicals. They are particularly good for soldering work.

144 PIECES	2	K	26-105
------------	---	---	--------



PIPE DOPE BRUSHES

Wooden handled, pure bristle brushes designed for use with pipe joint compounds of all types.

72 PIECES	2	K	26-205
-----------	---	---	--------



FITTING BRUSHES

Superior quality brushes for cleaning copper and brass fittings. Tough tempered steel bristles scar deeper for stronger bond. With oblong power-grip plastic handles.

50 1/2" BRUSHES	5	K	26-007
36 3/4" BRUSHES	5	K	26-011
25 1" BRUSHES	5	K	26-013



SOLDER FLUXES AND SOLDER

UTILITY LIQUID SOLDERING FLUX

Specially formulated tinning fluid for easy use on copper, brass, bronze, lead, tin, zinc, cast and wrought iron. It's odorless, non-evaporating and non-acid.

24 1/4 PT. CONTAINERS	11	J	14-105
-----------------------	----	---	--------

UTILITY PASTE SOLDERING FLUX

The original self cleaning, lead free flux specially formulated for sweat fitting work. It removes oxidation and prepares copper, lead, brass, tin, stainless steel, cast and wrought iron for the proper bonding of solder to metal assuring leak-tight joints. It makes the solder flow freely and tin perfectly. It's recommended for all soft solder work, including 95/5. Meets federal specification 0-F-506.

72 2 OZ. CONTAINERS	13	J	14-205
48 4 OZ. CONTAINERS	16	J	14-210
48 1/2 LB. CONTAINERS	29	J	14-215
24 1/2 LB. CONTAINERS*	16	J	14-216
24 1 LB. CONTAINERS	26	J	14-220

* with brush in container



POLAR PASTE SOLDERING FLUX

This cold weather formula of the original **UTILITY** Paste Soldering Flux remains brushable in freezing temperatures.

24 1/2 LB. CONTAINERS*	16	J	14-266
24 1 LB. CONTAINERS	27	J	14-270

* with brush in container

WATERFLUX B-813 PASTE SOLDERING FLUX

A water flushable flux that meets the **ASTM B-813** standard.

72 2 OZ. CONTAINERS	13	J	14-232
24 1/2 LB. CONTAINERS	16	J	14-236
24 1 LB. CONTAINERS	26	J	14-240



SOLDER FLUXES AND SOLDER



PLUMBERS SOIL

A coating to prevent adhesion of lead or solder when wiping joints. It assures clean sharp edges on soldered fittings. It is easy to apply and won't rub off or blister.

24 1.5 OZ. CONTAINERS 4 K 26-405

BIO-SAFE SOLDER PAK

Everything you need to solder, except the torch. This convenient kit contains a 4 oz. spool of Lead Free Bio-safe solder, a 2 oz. can of *Utility Paste Soldering Flux*, brush, emery cloth and detailed instructions printed on the back of each attractive display card.

12 CARDED KITS 7 K 14-715



PUTTY, CAULKING COMPOUNDS AND GASKETS



PLUMBERS' PUTTY

A non-bleeding, plastic and elastic putty made especially for plumbers. It's not sticky and handles like modeling clay. It keeps indefinitely, and it won't shrink, crack or crumble.

24 14 OZ. CONTAINERS 24 K 16-105
12 3 LB. CONTAINERS 36 K 16-115
12 5 LB. CONTAINERS 65 K 16-120
1 25 LB. CONTAINER 27 K+ 16-150

TUB & TILE CAULK

A siliconized acrylic latex caulk that permanently seals tubs, showers, tile, sinks, windows, doors, etc. It resists mildew and shrinking, remains flexible, won't crumble, and can be painted. It stays white, and it's scrubbable.

24 6 OZ. SQUEEZE TUBES 14 K 16-605
12 10.5 OZ. CARTRIDGES 13 K 16-610



REGULAR WAX GASKETS

Use for setting toilet bowls. It's individually boxed and conforms to Federal Specification HH-C536A.

48 PIECES 26 K 16-505

FITZALL WAX GASKETS

Deep wax seals for use in setting toilets. Use on 3" or 4" lines. The plastic horn assures better fit in difficult situations. It's individually boxed and conforms to Federal Specification HH-C536A.

24 PIECES 16 K 16-510



JIFFY JELL TOILET WATER ABSORBER

When removing a toilet, this super absorbing powder quickly solidifies the remaining water into a solid gel. No spills, no scooping out dirty toilet water. Once the toilet is reinstalled, and the water supply turned on, Jiffy Jell will re-liquefy and easily flush down the toilet.

12 0.6 OZ. PACKETS 1 K 16-590



ROOF FLASHING CEMENT

An elastic, black fibre cement for repairing around vent pipes, chimneys, etc. It provides weather-proofing around new or old flashings.

12 1 QT. CANS 38 K 16-203
6 1 GAL. CANS 50 K 16-210



SEAL FAST COLD SOLDER

Ready mixed cold solder for repairs & soil pipe joints. Quick hardening formula has thousands of uses.

24 10 OZ. CANS 20 J 30-4010
12 22 OZ. CANS 20 J 30-4020

CAULKIT

A two-part kit to seal bell and spigot joints. It seals iron to iron or plastic to iron. One part is a can of Seal Fast cold solder and the other is a supply of expandable jute packing. It makes two average joints.

12 KITS 14 J 16-355



FURNACE AND SPECIALTY CEMENTS



PATCH-ALL CONCRETE PATCHING CEMENT

A speedy solution for patching, anchoring and pointing for any concrete or masonry surface. Sets in ten minutes, hardens in two to three hours.

12	3 LB. CONTAINERS	38	K	30-6020
4	10 LB. CONTAINERS	43	K+	30-6030
1	50 LB. CONTAINER	52	K+	30-6050

AQUA-PLUG LEAK STOPPING CEMENT

A fast setting (3-5 min.) hydraulic compound, used for filling holes, cracks or leaks in masonry walls & floors. Ideal for patching pools (sets underwater) or any application to stop water infiltration.

12	3 LB. CONTAINERS	39	K	30-6520
4	10 LB. CONTAINERS	43	K+	30-6530
1	50 LB. CONTAINER	52	K+	30-6550



DO-ALL+PLUS FURNACE/REFRACTORY/ RETORT & STOVE CEMENT

A high temperature, non-asbestos, air-drying cement for setting and cementing furnaces, stoves, boilers and chimney collars. Use it for bedding and cementing firebrick and specially shaped combustion chambers. Use it for topping the backfill of oil burner chambers. It's good to 3000°F and it won't shrink, pull away, crack, sag or lose its sealing properties. Not harmed by freezing and thawing.

12	11 OZ. CARTRIDGES	16	K	30-1005
24	1 LB. CONTAINERS	27	K	30-1010
24	1 PT. CONTAINERS	50	K	30-1015
12	1 QT. CONTAINERS	52	K	30-1020
6	1/2 GAL. CONTAINERS	43	K+	30-1030
4	1 GAL. CONTAINERS	57	K+	30-1040
1	2 GAL. CONTAINER	25	K+	30-1050



DO-ALL+PLUS NON-FREEZING FURNACE/REFRACTORY/ RETORT & STOVE CEMENT

This special formula does not freeze.

6	1/2 GAL. CONTAINERS	43	K+	30-1031
4	1 GAL. CONTAINERS	57	K+	30-1041
1	2 GAL. CONTAINER	29	K+	30-1051



HOLD-TITE

A liquid adhesive for cementing fibre chambers against steel and brick. It's a specially formulated silicate.

24	1 PT. CONTAINERS	37	K	30-1510
----	------------------	----	---	---------



BOILER & HEATING SYSTEM CLEANERS & COMPOUNDS



DRY STEAM #3 BOILER CLEANER

The original easy-to-use powder that corrects priming, foaming, surging and slow steaming. It removes rust and mineral deposits which cause insufficient steaming. Special concentrated formula.

12	9 OZ. CONTAINERS	9	K	18-105
----	------------------	---	---	--------

C. C. RUST-X RUST INHIBITOR & BOILER TREATMENT

A hot water or steam conditioner prevents rust and corrosion, eliminates sediment accumulation and reduces the possibility of clogged controls. It's *color coded* to test boiler water conditions. Its periodic use keeps water crystal clear.

12	1 QT. CONTAINERS	28	K	18-205
----	------------------	----	---	--------

NO-DRAIN E-Z STEAM BOILER CLEANER POWDER


Quickly corrects priming & surging with silicones. Stops noises & needs no flushing or draining. It's *color coded* to test boiler water conditions.

12	9 OZ. CONTAINERS	9	K	18-305
----	------------------	---	---	--------

PREP HYDRONIC SYSTEM CLEANER

Cleans hot water boilers and hydronic systems. This TriSodium Phosphate (TSP) based product is specially formulated for new system start-ups. Designed as a pre-cleaner for anti-freeze applications. Removes greases, oil, rust, scale, flux, pipe joint compound and other residues of manufacture and assembly.

12	1 LB. CONTAINERS	13	K	18-810
----	------------------	----	---	--------



BOILER & HEATING SYSTEM CLEANERS & COMPOUNDS (continued)**BOILER COLLOID
BOILER CLEANER**

Liquid cleaner simultaneously cleans & conditions boilers & heating systems. Use for hot water or steam systems. It needs no draining or flushing.

12 1 QT. CONTAINERS
4 1 GAL. CONTAINERS

32 K
40 K

10-3010
10-3020

**SOOT AWAY
SOOT REMOVER STICKS**

Stick-form throw-in tube designed to remove soot safely and efficiently. It's fast, clean and easy to use.

70 TUBES

14 K

10-1010


**SOOT AWAY
SOOT REMOVER SPRAY**

An aerosol soot remover for most types of oil furnaces, oil burners and heaters. It's non-corrosive & it leaves no residue. It does a quick and thorough clean-up job.

12 12 OZ. AEROSOL CANS

13 J

10-1510

**BOILER STOP-LEAKS****BOILER WELD
LIQUID STOP-LEAK**

It finds and seals leaks in steam systems. It's also non-priming, odorless and contains no petrochemicals or metallic particles.

12 1 QT. CONTAINERS

34 K

15-1010

**QWIK-SEAL
POWDERED STOP-LEAK**

A non-metallic sealer for steam systems that is non-priming, non-surfing and contains no petrochemicals.

24 1 LB. CONTAINERS

30 K

15-1510

**HYDRO-SEAL+4
STOP-LEAK**

This liquid treatment seals leaks in circulating hot water systems, plus it inhibits rust, stops circulation noise, prevents air pockets and lubricates the system. It contains no petrochemicals.

12 1 QT. CONTAINERS

35 K

15-2010

**FUEL OIL CONDITIONERS, DEODORIZERS & TANK CLEANERS****HY-DRO-SOL
FUEL TANK WATER ABSORBER**

It absorbs twice its weight in water and disperses it by combustion. Just pour in to inhibit corrosion, break-up sludge and water deposits, and prevent rust. It also prevents the growth of algae and bacteria.

12 1 QT. CONTAINERS
4 1 GAL. CONTAINERS
1 55 GAL. DRUM

30 K
36 K
440 K*

**SLUDGE KLEEN
SLUDGE SOLVENT AND
FUEL OIL CONDITIONER**

Use for all grades of fuel oil to reduce soot formation. It keeps nozzles from clogging and disperses sludge and moisture. Use it regularly to increase fuel oil combustion efficiency.

12 1 QT. CONTAINERS
4 1 GAL. CONTAINERS
1 55 GAL. DRUM

30 K
34 K
450 K*

**LIQUID HEAT
HEATING OIL TREATMENT**

The best all-in-one fuel oil treatment on the market today. Developed combining the strengths of our other heating oil treatments into one product that controls waxing and gelling - totally disperses water - cleans pump and filter - prevents corrosion - cleans burner tips - reduces smoke.


24 1 PT. CONTAINERS

25 K




20-2020



FUEL OIL CONDITIONERS, DEODORIZERS & TANK CLEANERS (continued)

	FREE FLO FUEL OIL DE-ICER	12 1 QT. CONTAINERS	24	J	20-6010	
	It restores the flow of oil from tanks and oil trucks when the flow has been interrupted by ice formation.	4 1 GAL. CONTAINERS	32	J	20-6020	
	PETRO-CIDE FUEL OIL BIOCID	24 8 OZ. CONTAINERS	18	K	20-7005	
	ODOR-KILL SOLID FUEL OIL DEODORANT BLOCKS	12 4 OZ. CONTAINERS	5	K	20-3210	
	Your choice-- <i>Smelly Good or Smelly Bad?</i> The perfect finish to the professional service call. It eliminates odors occurring from fuel oil, smoke, sewage, mildew and a variety of other sources. It fills the air with a natural floral aroma -- not an overpowering obnoxious smell. Homeowners will appreciate that you have attended to every detail. Complete your job with ODOR KILL SOLID to complement your first rate workmanship... leave the air of professionalism.					
	ODOR-KILL POWDER FUEL OIL DEODORIZER	24 14 OZ. CONTAINERS	25	K	20-3010	
	Use a small amount to quickly neutralize fuel oil odors due to leaks, spills, tank overflows and oil burner drippings. It absorbs the oil so it can be swept away.					
	ODOR KILL SPRAY AEROSOL FUEL OIL DEODORIZER	12 12 OZ. AEROSOL CANS	13	J	20-3510	
	Gets to those hard-to-reach places. Excellent for general use around the home, shop, office or factory. It not only masks, but absorbs odors so they disappear.					

COIL CLEANERS

	FOAMING CLEAN-A-COIL COIL CLEANER & BRIGHTENER	12 1 QT. CONTAINERS	27	K	10-6510	
	Industrial strength non-acid and non-fuming cleaner and brightener. Foaming action clings to surfaces and penetrates down to inaccessible areas. Renews condenser coils, evaporator coils, mechanical equipment, permanent & electronic air filters, etc.	4 1 GAL. CONTAINERS	35	K	10-6520	
	SUPERCOIL CLEANSE CONCENTRATE COIL CLEANER & BRIGHTENER	4 1 GAL. CONTAINERS	42	B*	10-7020	
	Acid-based industrial strength concentrate. Effectively dissolves contamination with thick foaming action leaving coils clean and bright. Eliminates need for high pressure washer. Not harmful to equipment if used as directed. Increases equipment efficiency.					
	CYCLONE FIN & COIL CLEANER	12 20 OZ. AEROSOL CANS	18	J	10-6010	
	High pressure aerosol degreaser & cleaner for smaller condenser coils. Blows away dirt & lint, penetrates & removes grease accumulations. Doesn't require water rinsing, dries quickly & leaves no residue. Excellent for window air conditioning units. Non-flammable, Non-conductive. No acid & no fumes.					



COIL CLEANERS (continued)**LIME SOLV
LIQUID SCALE DISSOLVER**

Powerful, pre-mixed liquid removes lime, urinary salts, scale, plaster, rust & other mineral deposits from hot water coils, boilers, gas water heaters, condensers, heat exchangers & cooling towers. Inhibited against corrosion so it's safe for steel, copper, iron, brass, bronze & lead piping. FOR PROFESSIONAL USE

12	1 QT. CONTAINERS	33	C*	10-5010
4	1 GAL. CONTAINERS	42	C*	10-5020

**DRY LIME SOLV
SCALE DISSOLVER**

The safer choice for dissolving scale. Easy-to-use powder removes scale deposits from coils, condensers, toilets, urinals, piping, air conditioning & refrigeration equipment, bricks, cement, tile & marble. Inhibited to prevent metal corrosion. Safer for metals than other mineral acids. Chemically stable & can be stored longer than similar products. Contains red trace dye that shows when it's flushed from system. Won't cake.

24	12 OZ. CONTAINERS	19	J	10-5510
----	-------------------	----	---	---------

**WONDER GUARD FC
FIN & COIL PROTECTANT SPRAY**

This fast-drying, non-flammable aerosol works to guard against costly coil corrosion by spraying on a protective coating that prevents the buildup of airborne particles including dirt, dust, grease and hair. It requires no mixing, protects against the growth of mildew, prevents bacterial build-up and odors, and won't inhibit heat transfer. It makes your coils virtually maintenance-free!

12	12 OZ. AEROSOL CANS	12	J	10-9510
----	---------------------	----	---	---------

**NON-TOXIC ANTI-FREEZES & HEAT TRANSFER FLUIDS**

See page 9 for **PREP HYDRONIC SYSTEM CLEANER** - Use to prepare systems before adding anti-freeze

**SUPER POLAR GRADE NO-FREEZ
CONCENTRATE - MAXIMUM ANTI-FREEZE**

The most concentrated inhibited solution available. No need to rely on guess work, just follow the complete and easy to follow mixing instructions for total non-toxic protection against all types of weather and conditions.

4	1 GAL. CONTAINERS	37	K	18-430
1	5 GAL. PAIL	46	K+	18-431
1	55 GAL. DRUM	509	K*	18-434

**POLAR GRADE NO-FREEZ
EXTREME ANTI-FREEZE**

A heavy duty non-toxic anti-freeze designed for regions that experience extreme weather conditions. It is fully inhibited against metal corrosion and is safe, odorless and tasteless.

4	1 GAL. CONTAINERS	35	K	18-440
1	5 GAL. PAIL	44	K+	18-441
1	55 GAL. DRUM	465	K*	18-444

**ALUMINUM SAFE POLAR GRADE
NO-FREEZ EXTREME ANTI-FREEZE**

A heavy-duty non-toxic anti-freeze for aluminum-based boiler systems and heat exchangers. Designed specifically with additional corrosion inhibitors to coat aluminum and other metal parts preventing pitting, scaling and peeling.

1	5 GAL. PAIL	47	K+	18-491
1	55 GAL. DRUM	465	K*	18-494

**NO-FREEZ
THE ORIGINAL NON-TOXIC ANTI-FREEZE**

No-Freez, the most trusted name in non-toxic antifreeze. A chemically balanced inhibited solution engineered to give worry free protection. Provides expansion point protection to -100°F. System will flow to -61°F.

4	1 GAL. CONTAINERS	36	K	18-450
1	5 GAL. PAIL	46	K+	18-452
1	55 GAL. DRUM	500	K*	18-456



NON-TOXIC ANTI-FREEZES & HEAT TRANSFER FLUIDS (continued)**PIPE GUARD
THE *RIGHT* SOLUTION**

Pre-mixed non-toxic anti-freeze, perfectly blended with inhibitors to provide protection against expansion to -50°F. right out of the container. System will flow to 0°F.

4	1 GAL. CONTAINERS	36	K	18-420
1	5 GAL. PAIL	46	K+	18-421
1	55 GAL. DRUM	465	K*	18-424

**RV GUARD
NON-TOXIC RECREATIONAL
VEHICLE ANTI-FREEZE**

Specifically engineered for recreational vehicles of all types, including boats. All of the ingredients are non-toxic, nonflammable and it is inhibited against metal corrosion. Protects to -50°F.

4	1 GAL. CONTAINERS	36	K	18-410
1	5 GAL. PAIL	46	K+	18-412
1	55 GAL. DRUM	465	K*	18-415

**FIRE & ICE MASTER GL
GLYCERIN-BASED FIRE
SPRINKLER SYSTEM ANTI-FREEZE**

Non-toxic and ready-to-use and specially designed to provide the freeze protection requirements in NFPA 13 on all types of pipe. It replaces the water so freezing temperatures won't damage or interfere with the proper operation of systems or equipment. Protects to -50°F.

1	5 GAL. PAIL	50	K+	18-402
1	55 GAL. DRUM	573	K*	18-405

**REFRACTOMETER**

The definitive way to test solutions of NO-FREEZ, POLAR GRADE NO-FREEZ, SUPER POLAR NO-FREEZ CONCENTRATE, PIPE GUARD & RV GUARD, even FIRE & ICE MASTER GL, as well as other propylene and ethylene glycol solutions. It can also test battery charge.

1	INSTRUMENT	1	K	18-465
---	------------	---	---	--------

**NO-FREEZ QUICK CHECK TEST STRIPS**

When a refractometer is not available, use these disposable test strips to check flow point, expansion protection point and inhibitor level of propylene glycol non-toxic anti-freeze solutions.

6	KITS OF 10 STRIPS EACH	1	K	18-460
---	------------------------	---	---	--------

NO-FREEZ INHIBITOR

An additive to recharge the inhibitor levels of your No-Freez systems. It gives added life to the anti-freeze solution and your system.

12	8 OZ. CONTAINERS	8	K	18-470
----	------------------	---	---	--------

**ALUMINUM-SAFE
NO-FREEZ INHIBITOR**

An additive to recharge the inhibitor levels of your Aluminum-Safe No-Freez systems. It gives added life to the anti-freeze solution and your system.

12	8 OZ. CONTAINERS	8	K	18-471
----	------------------	---	---	--------

**CLEANERS AND DEGREASERS****SOLVIT
FAST-DRYING AEROSOL DEGREASER**

A non-flammable safe solvent for degreasing anything. It leaves no residue and displaces water. Good for cleaning electrodes, oil burner parts, motors, coils, condensers and all electrical equipment. Includes spray tube.

12	12 OZ. AEROSOL CANS	12	J	40-3510
----	---------------------	----	---	---------

**SOLVIT GREEN
FAST-DRYING AEROSOL DEGREASER**

For cleaning electrical equipment, oil burner parts, etc. This special formula allows the economic recycling of waste oil, because it does not contain bromides or chlorinated solvents. Includes spray tube.

12	12 OZ. AEROSOL CANS	12	J	40-0510
----	---------------------	----	---	---------



CLEANERS AND DEGREASERS (continued)**D.G.T.
WATER - SOLUBLE
FOAMING DEGREASER**

Just spray it on, let sit for five minutes & wash off with water. Perfect for greasy oil burners, motors, engines, air-conditioning equipment and all hard-to-clean parts.

12 12 OZ. AEROSOL CANS 12 J 40-2510

**D.G.T.+PLUS
100% BIODEGRADABLE FOAMING
DEGREASER AND CLEANER**

Non-corrosive - Does not contain petroleum distillates, caustics or phenols. Deodorizes as it cleans. Pleasant citrus aroma.

12 12 OZ. AEROSOL CANS 12 J 40-2010

**CRYSTAL CLEAN
ALL-PURPOSE
CLEANER/DEGREASER**

A water soluble, bio-degradable, industrial strength, aqueous cleaner. For quick clean-up on all non-porous surfaces. Ideal for oil burners and any other application where a non-flammable cleaner is needed. Simply spray on and wipe off.

12 1 QT. CONTAINERS* 26 K 40-4510
4 1 GAL. CONTAINERS 36 K 40-4520
* with trigger sprayer

**CUTTING, PENETRATING AND LUBRICATING FLUIDS****CUTTING EDGE CUTTING OIL-DARK
FOR HIGH SPEED MACHINE THREADING**

Scientifically compounded Cutting Edge Cutting Oil has several times the film strength of ordinary cutting oils. Its high percentage of sulfur and chlorine absorbs and radiates heat. It is positively non-gumming.

12 1 QT. CONTAINERS 26 K 22-111
6 1 GAL. CONTAINERS 49 K 22-116
1 5 GAL. CONTAINER 41 K+ 22-121
1 55 GAL. DRUM 375 K* 22-156

**CUTTING EDGE CUTTING OIL-LIGHT
FOR HAND AND MACHINE THREADING**

Scientifically compounded Cutting Edge Cutting Oil has several times the film strength of ordinary cutting oils. Its high percentage of sulfur and chlorine absorbs and radiates heat. It is positively non-gumming.

12 1 QT. CONTAINERS 26 K 22-110
6 1 GAL. CONTAINERS 49 K 22-115
1 5 GAL. CONTAINER 41 K+ 22-120
1 55 GAL. DRUM 375 K* 22-155

**WONDER ZORB
SPILL ABSORBING POWDER**

A pre-treated absorbent eliminates odors as it absorbs oil, grease and liquid spills. It's non-flammable and easy to use.

1 50 LB. BAG 51 K+ 20-4020

HANDY LUBE OIL

A special blend of non-detergent oils for lubricating oil burners, electric motors, pumps, circulators, etc. in a large size economical container.

24 8 OZ. CONTAINERS**† 14 K 35-1511
*with E-Z Reach Tube
†leak preventive seal

**PL-3
PENETRATING OIL**

A highly effective moisture displacer and penetrant that breaks down rust and corrosion and loosens frozen fittings. It lubricates and protects by inhibiting further corrosion and rust accumulation. Includes spray tube.

12 12 OZ. AEROSOL CANS 12 J 35-2010

BEARING ASSEMBLY LUBRICANT

A non-detergent oil that won't gum or stick. Specially formulated for bearing assemblies.

24 8 OZ. CONTAINERS **† 14 K 35-1021
24 1 QT. CONTAINERS *† 53 K 35-1040
*with squirt spout
**with E-Z Reach Tube
†leak preventive seal



CUTTING, PENETRATING AND LUBRICATING FLUIDS (continued)**SILICONE SPRAY
DRY LUBRICANT**

Multi-purpose, heavy-duty silicone lubricant. Non-flammable, stainless, odorless and prevents corrosion. It stops squeaking, sticking and reduces friction.

12 12 OZ. AEROSOL CANS 12 J 40-4010

NON-FLAMMABLE**FAUCET STEM LUBRICANT
HEATPROOF/WATERPROOF GREASE**

A special blend of greases for use on stems, pumps, and wherever resistance to heat or water is needed.

24 1 OZ. CONTAINERS 3 K 24-505
12 1 OZ. CONTAINERS* 2 K 24-504
*individually carded

**MAINTENANCE MATERIALS AND MISCELLANEOUS****RENUWELL
WELL RESTORER AND REJUVENATOR**

It dissolves mineral build-up from well points. It's non-corrosive and non-hazardous and it contains a clear flow indicator to remove the guesswork of when the water is free of RenuWell.

12 1 LB. CONTAINERS 13 K 24-905

EPOX-EASE EPOXY PUTTY

This one-part, fast-cure epoxy putty has thousands of uses. It can be sanded, painted, filed, sawed, drilled, tapped and it's a metallic gray color.

12 4 OZ. TUBES* 3 K 50-1020
*in a display box

**SPRAY PAINT**

Fast-drying, hard finish, permanent luster enamel paints for protective and decorative coatings.

Aluminum 12 16 OZ. AEROSOL CANS 13 J 40-5510
Gloss Black 12 16 OZ. AEROSOL CANS 13 J 40-5520
Flat Black 12 16 OZ. AEROSOL CANS 13 J 40-5525
Gloss White 12 16 OZ. AEROSOL CANS 13 J 40-5570

**WONDER BLACK 1200°
HIGH TEMPERATURE SPRAY PAINT**

A fast drying enamel that withstands 1200° temperatures. Use on fireplaces, barbecues, wood or coal stoves, furnaces or stove pipes.

12 16 OZ. AEROSOL CANS 13 J 40-5010

**CAULKING GUNS**

Highest professional quality, ratchet style, U.S.A. made gun delivers three times the thrust power of comparable guns.

12 PIECES 14 K 26-805

**SANS AQUA BIO-DEGRADABLE
WATERLESS HAND CLEANER**

A true waterless hand cleaner. No need to wash up after use, like other "waterless" hand cleaners. Contains no grit. Leaves hands dry, not oily. Non-toxic. Non-flammable. It has no harsh or irritating ingredients and has a subtle citrus fragrance.

12 16 OZ. CONTAINERS 13 K 45-1110

**ROYAL POWDERED HAND SOAP**

Industrial strength abrasive powder to remove all types of soil. *Now with new shaker top.*

24 1 LB. 8 OZ. CONTAINERS 44 K 45-1010
1 50 LB. CONTAINER 52 K+ 45-1020
1 100 LB. CONTAINER 105 K+ 45-1030

**WRAGS WET WIPING TOWELS**

Pre-moistened, multi-purpose hand towels are specially formulated to loosen, dissolve and absorb dirt, grease, oil, paints, sealants, plastic pipe cements, adhesives, caulk and tar. These dual-sided wipes contain skin-protecting aloe, lanolin and moisturizers, leaving hands both clean and fresh. 12" x 10" towels are packed in an easy-to-dispense 72 count container.

6 CONTAINERS (72 TOWELS) 17 K 45-1220

NEW

PRODUCT DIRECTORY

DESCRIPTION	PAGE	DESCRIPTION	PAGE	DESCRIPTION	PAGE	DESCRIPTION	PAGE
ABS GLOO	6	DRAIN CLEANERS	2	LIQUID SOAP, WATERLESS HAND CLEANER	15	ROYAL POWDERED HAND SOAP	15
ABSORBENT, WONDER ZORB	14	DRAIN-A-MATIC DRAIN OPENER	2	LIQUID SOLDERING FLUX	7	RUST STAIN REMOVER, ENDRUST	4
ACID BRUSHES	7	DRAINFIELD CLEANER, WASTEX	3	LUBRICANT, SLIP-N-SEAL PIPE JOINT	5	RUST-X, C.C.RUST INHIBITOR	9
ACID DRAIN CLEANER, GRAND SLAM SULFURIC	2	DRY LIME SOLV	12	MAINTENANCE MATERIALS	15	RV GUARD ANTI-FREEZE	13
ALL-PURPOSE CLEANER/DEGREASER, CRYSTAL CLEAN	4	DRY LUBRICANT, SILICONE SPRAY	15	MEDIUM BODY CLEAR GLOO	6	SANS AQUA WATERLESS HAND CLEANER	15
ALL-PURPOSE GLOO	7	DRY STEAM #3	9	NO-DRAIN E-Z STEAM BOILER CLEANER	9	SEALANT, BLUE SEAL PIPE JOINT	5
ALUMINUM-SAFE NO-FREEZ INHIBITOR	13	ECO POW! GREEN	2	NO-FREEZ INHIBITOR	13	SEAL FAST COLD SOLDER	8
ALUMINUM SAFE POLAR GRADE NO-FREEZ	12	ENDRUST STAIN REMOVER	4	NO-FREEZ INHIBITOR, ALUMINUM-SAFE	13	SEALS, WAX	8
ANTIFREEZES & HEAT TRANSFER FLUIDS	12	EPOX-EASE EPOXY PUTTY	15	NO-FREEZ NON-TOXIC HEAT TRANSFER FLUID	12	SEPTIC ACTIVATOR, SEPTIC KLEEN	3
AQUA-PLUG LEAK STOPPING CEMENT	9	EPOXY PUTTY, EPOX-EASE	15	NO-FREEZ TEST, REFRACTOMETER	13	SEPTIC KLEEN SEPTIC ACTIVATOR	3
B-813 PASTE SOLDERING FLUX	7	E-Z STEAM, NO-DRAIN, BOILER CLEANER	9	NON-TOXIC HEAT TRANSFER FLUIDS	12	SEPTIC TANK CLEANERS	2
BATTERY CHARGE TEST, REFRACTOMETER	13	FAST DRYING DEGREASERS	13	ODOR-KILL POWDER	11	SEWER CLEANER, WASTEX	3
BEARING ASSEMBLY LUBRICANT	14	FAUCET STEM LUBRICANT	15	ODOR-KILL SPRAY	11	SILICONE SPRAY	15
BIO-SAFE SOLDER PAK	8	FIN & COIL CLEANER, CYCLONE	11	ODOR-KILL SOLID	11	SLIP-N-SEAL PIPE JOINT LUBRICANT	5
BIOCIDE, PETRO-CIDE FUEL OIL	11	FIRE & ICE MASTER	13	OILS, CUTTING, PENETRATING & LUBE	14	SLUDGE KLEEN	10
BIODEGRADABLE DEGREASER DGT+PLUS	14	FIRE SPRINKLER ANTI-FREEZE	13	OPEN MESH CLOTH, VISI-GRIT	7	SOAP, WATERLESS HAND CLEANER	15
BIODEGRADABLE CESSPOOL CLEANER, ECO POW! GREEN	2	FITTING BRUSHES	7	OPTICAL INSTRUMENT REFRACTOMETER	13	SOLAR ANTI-FREEZE	12
BIODEGRADABLE HAND CLEANER	15	FITZALL WAX GASKETS	8	PACKING MATERIALS	4	SOLDER FLUXES	7
BLUE GLOO, LAWN & POOL	6	FLANGED JOINT SEALANT, JOINT SEAL #6	4	PAINT, SPRAY	15	SOLDER PAK	8
BLUE SEAL PIPE JOINT SEALANT, BLOCKS, ODOR KILL SOLID	11	FLASHING CEMENT ROOF FLUX, PASTE SOLDERING	7	PARTS CLEANERS	13	SOLID, ODOR KILL	11
BOAT ANTI-FREEZE	12	FLUX, B-813 PASTE SOLDERING	7	PASTE SOLDERING FLUX	7	SOLVENT CEMENTS	6
BOILER & HEATING SYSTEM CLEANERS & COMPOUNDS	9	FOAMING CLEAN-A-COIL	11	PATCHING CEMENT, PATCH-ALL CONCRETE	9	SOLVIT	13
BOILER COLLOID	10	FOAMING DEGREASER, D.G.T.+PLUS, BIODEGRADABLE	14	PATCH-ALL CONCRETE PATCHING CEMENT	9	SOLVIT GREEN	13
BOILER STOP-LEAKS	10	FOAMING DEGREASER, D.G.T. WATER SOLUBLE	14	PENETRATING OIL, PL-3	14	SOOTAWAY SOOT REMOVER	10
BOILER WELD	10	FREE FLO FUEL OIL DE-ICER	11	PETRO-CIDE FUEL OIL BIOCIDE	11	SOOT REMOVER SPRAY, SOOTAWAY	10
BOWL CLEANERS	3	FUEL OIL BIOCIDE, PETROCIDE	11	PIPE CEMENT DAUBERS	7	SOOT STICKS, SOOTAWAY	10
BRUSHES	7	FUEL OIL CONDITIONERS	10	PIPE DOPE BRUSHES	7	SPRAY PAINT	15
CAULKING COMPOUNDS	8	FUEL OIL DE-ICER, FREE FLO	11	PIPE GUARD	13	SPRINKLER ANTI-FREEZE, FIRE	13
CAULKING GUNS	15	FUEL TANK WATER ABSORBER, HY-DRO-SOL	10	PIPE JOINT COMPOUND	4	STAIN REMOVER, ENDRUST	4
CAULKIT	8	FURNACE CEMENTS	9	PIPE JOINT LUBRICANT, SLIP-N-SEAL	5	STAINLESS PUTTY	8
C.C.RUST-X RUST INHIBITOR	9	GASKET COMPOUNDS	4	PIPE JOINT SEALANT, BLUE SEAL	5	STOPS-LEAKS, BOILER	10
CEMENT, AQUA-PLUG LEAK STOPPING	9	GASKET, WAX	8	PL-3	14	STOVE CEMENTS	9
CEMENTS, FURNACE, REFRACTORY & RETORT	9	GLOO	6	PLASTI-KLEEN PRIMERS AND CLEANERS	5	SULFURIC ACID DRAIN CLEANER, GRAND SLAM	2
CEMENT, PATCHING	9	GLYCERIN-BASED ANTI-FREEZE	13	PLASTI-SEAL SOLVENT CEMENTS	6	SUPER CESSOLVE	3
CESSOLVE, SUPER	3	GLYCOL TESTER, REFRACTOMETER	13	PLASTIC PIPE CEMENT DAUBERS	7	SUPER COIL CLEANSE	11
CESSPOOL CLEANER, WASTEX	3	GRAND SLAM	2	PLASTIC PIPE CEMENTS	6	SUPER POLAR GRADE NO-FREEZ CONCENTRATE	12
CESSPOOL CLEANERS	2	GRAY PVC GLOO	6	PLASTIC PIPE CLEANERS	5	SUPER POW!	2
CLEAN-A-COIL, FOAMING	11	GREASE, FAUCET STEM LUBRICANT, WATERPROOF	15	PLASTIC PIPE PRIMERS	5	SUPER URI-BLOCKS	4
CLEANER, PLASTIC PIPE TREATMENTS, HUMIDIFIER	11	GREEN, BIODEGRADABLE CESSPOOL CLEANER, ECO POW!	2	PLUMBERS' PUTTY	8	SWIFT DRAIN CLEANER	2
CLEANER FOR WATERFREE URINALS	4	GREEN, SOLVIT	13	PLUMBERS' SOIL	8	SWIFT DRAIN CLEANER, CRYSTAL	2
CLEANERS, FUEL OIL TANK	10	GRIT FREE WATERLESS HAND CLEANER	15	PLUS 4, HYDRO SEAL	10	SYSTEM CLEANER, PREP HYDRONIC	9
CLEANERS, PARTS	13	GUARD, WONDER, RUST PREVENTIVE	12	POLAR GRADE NO-FREEZ	12	TANK CLEANERS, FUEL OIL	10
CLEANERS, WASTE SYSTEM	2	H,BLUE GLOO, LAWN & POOL	6	POLAR GRADE NO-FREEZ CONCENTRATE, SUPER	12	TAPE, TEFLON	5
CLEAR GLOO	6	HAND SOAP	15	POLAR PASTE SOLDERING FLUX	7	TEFLON TAPE	5
CLEAR PLASTIC PIPE PRIMER	5	HANDY LUBE OIL	14	POLAR PVC GLOO	6	TEFLON THREAD COMPOUND, TFE-TITE	5
COIL CLEANERS	11	HEAT TRANSFER FLUIDS	12	POOL, LAWN & GLOO	6	TITE	5
COIL CLEANSE CONCENTRATE, SUPER	11	HEAT-PROOF GREASE FAUCET STEM LUBE	15	POW! GREEN BIODEGRADABLE CESSPOOL CLEANER, ECO	2	TEST STRIPS, NO-FREEZ QUICK CHECK	13
COLD WATER DRAIN PIPE CLEANER, DRY DRAIN-A-MATIC	2	HEATING SYSTEM CLEANERS & COMPOUNDS	9	POWDERED BOILER STOP-LEAK	10	TFE-FORM	5
COLD SOLDER	8	HEAVY BODY GRAY GLOO	6	POWDERED HAND SOAP, ROYAL	15	TFE-TITE TEFLON	5
COLLOID, BOILER	10	HIGH TEMPERATURE SPRAY PAINT	15	PREP HYDRONIC SYSTEM CLEANER	9	THREAD COMPOUND	5
CONDITIONERS, FUEL OIL CONCRETE PATCHING CEMENT, PATCH-ALL	9	HOLD-TITE	9	PRIMERS, PLASTIC PIPE	5	THREAD COMPOUNDS	4
CPVC GLOO	6	HOT WATER DRAIN CLEANER, SWIFT	2	PRIVY CLEANER, WASTEX	3	THREAD SEALANTS	4
CRYSTAL CLEAN ALL-PURPOSE CLEANER/DEGREASER	14	HYDRONIC SYSTEM CLEANER, PREP	9	PRO/PEL CESSPOOL AND SEPTIC TANK CLEANER	2	TINNING FLUID, LIQUID SOLDERING FLUX	7
CRYSTAL SWIFT DRAIN CLEANER	2	HYDRO-SEAL-4 STOP LEAK	10	PSST! LEAK DETECTOR	5	TOILET BOWL CLEANERS	3
CUTTING EDGE CUTTING OILS	14	HY-DRO-SOL FUEL TANK WATER ABSORBER	10	PTFE TAPE	5	TOILET WATER ABSORBER, JIFFY JELL	8
CUTTING OILS	14	INHIBITED ANTI-FREEZE	12	PURPLE PLASTIC PIPE PRIMER	5	TOWELS, WRAGS WET WIPING	15
CYCLONE FIN & COIL CLEANER	11	INHIBITOR, NO-FREEZ	13	PUTTY	8	TRAP SEAL	3
DAUBERS	7	INHIBITOR, ALUMINUM-SAFE NO-FREEZ	13	PVC CEMENTS	6	TREATMENTS, HUMIDIFIER	11
DEEP WAX SEALS	8	JIFFY JELL	8	QUICK CHECK TEST STRIPS, NO-FREEZ	13	TREATMENTS, WASTE SYSTEM	2
DEGREASERS, CLEANERS & DE-ICER, FREE FLO FUEL OIL	11	JOINT COMPOUNDS	4	QWIK-SEAL	10	TUB & TILE CAULK	8
DE-LIMERS, HUMIDIFIER	11	JOINT LUBRICANT, SLIP-N-SEAL PIPE	5	RADIANT	3	URI-BLOCKS	4
DE-SCALERS, HUMIDIFIER	11	JOINT SEAL NO. 6	4	RECREATIONAL VEHICLE ANTI-FREEZE	13	URINAL BLOCKS	4
DEODORIZERS, FUEL OIL	11	LAWN & POOL GLOO	6	REFRACTOMETER	13	UTILITY SOLDERING FLUX	7
D.G.T.	14	LEAK DETECTORS, PSST!	5	REFRACTORY CEMENTS	9	TREATMENTS, HUMIDIFIER	11
D.G.T.+PLUS	14	LEAK STOPPING CEMENT, AQUA-PLUG	9	REGULAR BODY CLEAR GLOO	6	VISI-GRIT	7
DO-ALL+PLUS	9	LIME SOLV	12	REGULAR WAX GASKETS	8	WASTEX	3
DOPE, PIPE, BRUSHES	7	LIQUI-TRAP	4	RENUWELL WELL RESTORER & REJUVENTATOR	15	WATER ABSORBER, HY-DRO-SOL	10
DRAIN CLEANER, SWIFT	2	LIQUID BOILER STOP-LEAK	10	RETORT CEMENTS	9	FUEL TANK	10
		LIQUID BOWL CLEANER, RADIANT	3	ROOF FLASHING CEMENT	8	WATER SOLUBLE FLUX, B-813	7
		LIQUID DRAIN-A-MATIC DRAIN OPENER	2	ROOT DESTROYER, ROOTAWAY	3	WATERFREE URINALS, CLEANER	4
		LIQUID HEAT, FUEL OIL CONDITIONER	10	ROOTAWAY ROOT DESTROYER	3	WATERFLUX B-813 PASTE FLUX	7
						WATERPROOF GREASE, FAUCET STEM LUBE	15
						WAX GASKETS	8
						WELL RESTORER & REJUVENTATOR, RENUWELL	15
						WONDER BLACK 1200° SPRAY PAINT	15
						WONDER GUARD	12
						WONDER ZORB	14
						WRAGS WET WIPING TOWELS	15

